

Lab 0 Objectives

- Intro to Labs
- Intro to Operating Systems
- Why programming languages?
- Start Lab #0
 - UNIX/Linux intro, worksheet
 - Sakai (Forum for "Broader CS Issues")
 - Create Web page
 - Use jEdit (Text Editor), IDLE
 - Use Python interpreter in interactive mode
 - Write Python programs

A lot of different things but doable!

Jan 12, 2010

Sprenkle - CS111

1

Intro to Labs

- Introduce Student Assistants
 - Will Richardson '11
 - Camille Cobb '12
- 3 hours to get started on labs
 - Often will need to finish lab after lab period
 - Use this lab (P405), preferably, or P413

Jan 12, 2010

Sprenkle - CS111

2

Operating Systems

- Manage hardware resources
- Three popular operating system variations:

Mac	PC/Windows	UNIX
------------	-------------------	-------------

- Compare in terms of cost, popularity, available software, security
- Learn Linux (a UNIX variation) in this class

Note: "PC" for Windows is a misnomer because all of these OSs are for "personal computers".

Jan 12, 2010

Sprenkle - CS111

3

P405 Machines

- Run both Linux and Windows
 - Linux natively
 - Windows virtually
 - Takes a while to start up
 - If need to switch, restart. By default → Linux
- Computer should be in Linux
 - If not, tell someone or move to another computer
- P413: Linux-only

Jan 12, 2010

Sprenkle - CS111

4

Pause While You Log In

- Follow handout's instructions
- Open browser
- Navigate to Lab 0, from course's "Schedule" page
 - We're starting on the first objective "Learning to Use the Linux Machines" on paper
 - Return to Web page for rest of lab
- How different is the UI than Windows or Mac?

Jan 12, 2010

Sprenkle - CS111

5

Intro to UNIX Handout

- A lot of words
- Not that difficult
- Introduces terminology and techniques that will be second nature to you in a few weeks

Jan 12, 2010

Sprenkle - CS111

6

Intro to UNIX


- Can execute operations by typing commands in terminals or using GUIs
 - We will use terminals most of the time
 - Today: learn essential UNIX commands
 - Why?
 - Faster to use keyboard than mouse
 - Easier to automate
- File structure
 - Organize our files
 - Hierarchy of *directories* ("folders" in Windows world)

Jan 12, 2010


Sprenkle - CS111

7

(Partial) Linux File Structure



(Partial) Linux File Structure



Synchronizing ...

- Everyone started Linux worksheet
- Review:
 - True or False: I should shut down the machine when I am done using it.
 - True or False: My CS account is the same as my W&L account.
- Open a new terminal using your shortcut in the top bar

Jan 12, 2010

Sprenkle - CS111

10

Intro to UNIX: Essential Commands

- Manipulating Files
 - **ls** - list the files, directories in a directory
 - **mkdir** - make a directory
 - **cp** - copy a file/directory
 - **mv** - move a file/directory
 - **rm** - remove (delete) a file/directory
- Navigating Directories
 - **pwd** - "print working directory"
 - **cd** - "change directory"


Jan 12, 2010

Sprenkle - CS111

11

Intro to UNIX: Shortcuts

- .
 - Current directory
 - ..
 - Parent directory
- } Often used with **cp**, **mv**, **cd** commands
-
- **cd** or **cd ~**
 - Change to your HOME directory
- Jan 12, 2010
- Sprenkle - CS111
- 12



Why Do We Need Programming Languages?

- Computers can't understand English
 - Too ambiguous
- Humans can't easily write machine code

Problem Statement (English)

Machine code/Central Processing Unit (CPU)

```
000000 0000100010 00110 00000 100000
```

Jan 12, 2010 Sprenkle - CS111 14

Why Do We Need Programming Languages?

- Computers can't understand English
 - Too ambiguous
- Humans can't easily write machine code

Programmer (YOU!) translates from problem to algorithm (solution) to program

Python interpreter translates into bytecode

Machine code/Central Processing Unit (CPU)

Jan 12, 2010 Sprenkle - CS111 15

Why Do We Need Programming Languages?

- Computers can't understand English
 - Too ambiguous
- Humans can't easily write machine code

Python interpreter executes the bytecode in a "virtual machine"

Machine code/Central Processing Unit (CPU)

Jan 12, 2010 Sprenkle - CS111 16

Python Is ...

- A programming language
- An interpreter (which is a program) that executes Python code

Jan 12, 2010 Sprenkle - CS111 17


Python

- A common *interpreted* programming language
 - Runs on many operating systems
- First released by Guido van Rossum in 1991
- Named after *Monty Python's Flying Circus*
- Minimalist syntax, emphasizes readability
- Flexible, fast, useful language
- Used by scientists, engineers, systems programmers

Jan 12, 2010 Sprenkle - CS111 18

Python Interpreter

1. Validates Python programming language expression(s)
 - Enforces Python syntax rules
 - Reports syntax errors *Have a lot of these early on!*
2. Executes expression(s)



Jan 12, 2010

Sprengle - CS111

19

Two Modes to Execute Python Code

- **Interactive:** using the interpreter
 - Try out Python expressions
- **Batch:** execute *scripts* (i.e., files containing Python code)
 - What we'll write usually

Jan 12, 2010

Sprengle - CS111

20

Interactive Mode

```
Python 2.4.4 (41: Oct 19 2006, 10:54:39)
[GCC 4.0.1 (Apple Computer, Inc. build 5341)] on darwin
Type in the expression
>>> 3
Python displays the result
3
Type in the expression
>>> 4+5
9
Type in the expression
>>> 1-7
-6
Type in the expression
>>> "word"
'word'
Type in the expression
>>> word
Traceback (most recent call last):
  File "stdin", line 1, in ?
NameError: name 'word' is not defined
print: Special statement/command to display output
>>> print 4+5
9
>>>
```

Jan 12, 2010

Sprengle - CS111

21

Your Turn in Interactive Mode...

- Run the Python interpreter in the terminal
 - `python`
- Enter the following expressions and see what Python displays:
 - `3`
 - `4 * -2`
 - `-1+5`
 - `2 +`
 - `print "Hello!"`
- To quit the interpreter, use Control-D


Jan 12, 2010

Sprengle - CS111

22

Batch Mode

1. Programmer types a **program/script** into a **text editor** (jEdit or IDLE).
2. An **interpreter** turns each expression into **bytecode** and then executes each expression



- Get feedback about which line caused the problem
- Interpreter stops validating/executing lines

Jan 12, 2010

Sprengle - CS111

23

Example Python Script

- What does this program do?

```
Text file named: hello.py
# Program that prints out "Hello, world!"
# by Sara Sprengle
# Last modified: 01/06/2009
print "Hello, world!"
```

Print statement

- Validate your guess by executing the program
 - Go into `labs/lab0` directory
 - `python hello.py`

Jan 12, 2010

Sprengle - CS111

24

Example Python Script

```
# Program that prints out "Hello, world!"
# by Sara Sprenkle
# Last modified: 01/06/2009
print "Hello, world!"
```



- Only **Hello, world!** is printed out
- Python ignores everything after the "#"
 - Known as "**comments**" or, collectively, as **documentation**
- Your program should *always* start with a high-level description of what the program does, your name, and the date the program was written

Jan 12, 2010

Sprenkle - CS111

25

Review: Executing Python

- Interactive Mode
 - Try out expressions
 - **python**
- Batch Mode
 - Execute Python scripts
 - **python <pythonscript>**

Jan 12, 2010

Sprenkle - CS111

26

Practice in Interactive, Batch Modes

- Open the IDLE development environment
 - Command: **idle &**
 - **&** Runs command in "background" so you can continue to use the terminal
 - Knowing our programming language is named after Monty Python, any ideas about what the development environment is named after?

Jan 12, 2010

Sprenkle - CS111

27

Demonstrate Using IDLE

Jan 12, 2010

Sprenkle - CS111

28

Honors System: Rules of Thumb

- Discussion of problems/programs - OK
 - Clarification questions
 - Algorithm discussion (on paper, board)
- Debugging help
 - Programmer always "owns" keyboard, mouse
 - Helper can read other's program/debug/help, up to 5 minutes
 - Ask or email me for problems that require more time

Jan 12, 2010

Sprenkle - CS111

29

Lab 0 Checklist

- Linux Worksheet
- Sakai access
- Web Page
- Python practice, programs
- Print lab

Jan 12, 2010

Sprenkle - CS111

30